Author Index of Volume 164

Abu-Soud, H. M., 105
Ahmed, H., 5

Baird, N. C., 93
Bandoli, G., 127
Barbe, J. M., 39
Barnes, J. C., 7
Barth, I., 171
Bauch, C. G., 165
Beattie, J. K., 85
Bel'sky, V. K., 211
Benliang Zhao, 179
Bereman, R. D., 191
Bethell, D. E., 7
Bhasin, C. P., 11
Binstead, R. A., 85
Blyth, C. S., 7
Boeyens, J. C. A., 73
Bohra, R., 11
Bontchev, P. R., 201
Brown, D. A., 5
Brubaker, C. H., Jr., 205
Bulychev, B. M., 211
Burtet-Fabris, B., 155

Chung-Kung Lai, 205
Clarke, E. T., 59
Clearfield, A., 59
Cunningham, D., 185

Dao, N. Q., 39
Decock-Le Reverend, B., 235
Dobson, S. M., 73
Dolmella, A., 127

Elias, A. J., 45

Feke Maloney, S. C., 123
Ferry, J., 185
Fitzpatrick, N. J., 5
Frigerio, A., 149
Froneman, M., 17

Gallagher, J., 185
Gencheva, G., 201
Glass, W. K., 5
Gorbunov, A. I., 211
Guerriero, P., 155
Guilard, R., 39

Hadjiliadis, N., 221
Haga, M.-A., 137
Halac, B., 149
Hambley, T. W., 85
Hancock, R. D., 73
Hanqin Liu, 119
Hitchcock, P. B., 11
Holme, T. R., 7
Hu Ninghai, 55

Iakovidis, A., 221
Ivankina, L. V., 211

Jingfu Liu, 179
Jin Zhongsheng, 55
Johnson, C. E., 165

Kaziro, R., 85
Kitagawa, S., 49
Koelle, U., 23
Kossakowski, J., 23

Labuda, J., 65
Lamprecht, G. J., 69
Lebkiri, A., 235
Leipoldt, J. G., 69
Leschnitzer, D. H., 99

Maochun Hong, 119
Martell, A. E., 59
Mazzi, U., 127
McArdle, P., 185
McDevitt, M. R., 123
Medhi, O. K., 231
Mehrotra, R. C., 11
Mitewa, M., 201
Modro, T. A., 17
Muir, M. M., 33
Mullica, D. F., 99
Munakata, M., 49

Naiini, A. A., 205
Nardin, G., 1
Nefedov, V., 201
Ngwenya, M. P., 73

Odiaka, T. I., 143

Pavlishchuk, V. V., 65
Perec, M., 149
Pettit, L. D., 235
Pyburn, S. I., 235

Qian Jisong, 55
Qin Chen, 115
Qiutian Liu, 119

Randaccio, L., 1
Rao, M. N. S., 45
Refoso, F., 127
Rudolf, P. R., 59

Sanchez, J. P., 39
Sappenfield, E. L., 99
Schöllhorn, H., 221
Sellmann, D., 171
Shuncheng Liu, 115
Silver, J., 105, 231
Smith, G. B., 7
Srivastava, G., 11
Storozhenko, P. A., 211
Streltsova, N. R., 211
Strizhak, P. E., 65

Thewalt, U., 221
Tippin, D. B., 99
Tisato, F., 127
Torres, L. M., 33
Trötscher, G., 221
Tsunemitsu, A., 137

Ueda, M., 49
Urbach, F. L., 123

Vance, C. T., 191
van Zyl, G. J., 69
Vather, S. M., 17
Vigato, P. A., 155

Wade, P. W., 73
Wei Gecheng, 55
Wei Quan, 55
Welch, J. H., 191

Xinjian Lei, 119
Xu Jiqing, 55

Yatsimirskii, K. B., 65

Zangrando, E., 1
Zhao Liu, 179
Zhecheva, E., 201
Zhiping Zu, 179
Zhiying Huang, 119
Zubieta, J., 115

© Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 164

Amido complexes
dialkylamidoderivatives of Sn(II) and Sn(IV) in phosphorus chemistry, 17
Amine complexes
complexes with asymmetric tetraamine ligands; base hydrolysis of Rh(III) complexes, 33
interaction of *cis*-$Pt(NH_3)_2Cl_2$ with amino acids; crystal structure of *cis*-$[Pt(NH_3)_2(gly)](NO_3)$, *cis*-$[Pt(NH_3)_2(ala)](NO_3)$ and *cis*-$[Pt(NH_3)_2$-$(val)](NO_3)$, 221
steric and electronic influences on rate of addition of anilines to tricarbonyl (cyclohexadienyl) Fe(II) cation, 143
Amino acid complexes
interaction of *cis*-$Pt(NH_3)_2Cl_2$ with amino acids; crystal structures of *cis*-$[Pt(NH_3)_2(gly)](NO_3)$, *cis*-$[Pt(NH_3)_2(ala)](NO_3)$ and *cis*-$[Pt(NH_3)_2$-$(val)](NO_3)$, 221
Mössbauer spectroscopic evidence for molecular complex formation between histidine and μ-oxo-bis(protoporphyrinato IX)Fe(III), 231

Barium complexes
$Ba(NO_3)_2 \cdot 2H_2O$; structure stabilised by anionic impurities, 7
Bidentate ligand complexes
adducts of bis(*O,O*-alkylene dithiophosphates) of Ni(II) with 2,9-dimethyl-1,10-phenanthroline; X-ray crystal and molecular structure of (2,9-dimethyl-1,10-phenanthroline)bis(4,4,5,5-tetramethyl-1,3,2-dioxaphospholane-2-thione-2-thiolato)Ni(II), 11
molecular structure of *trans*-methyliodo-*N*-benzoyl-*N*-phenylhydroxyaminobis(triphenyl-phosphite)Rh(III), 69
structural investigation of Cu(II) chelate of *N*-phosphonomethylglycine; X-ray crystal structure of $Cu(II)[O_2CCH_2NHCH_2PO_3] \cdot Na$-$(H_2O)_{3.5}$, 59
synthesis, characterization and structural studies of Cu complexes of 1,2-dithiolene ligand, 5,6-dihydro-1,4-dithiin-2,3-dithiolate, 191
Binuclear complexes
crystal structures of dirhenium(III) complexes $[Ph_4As][Re_2Cl_7L]$ ($L = PBu^n_3$, PPh_2Bu^n), and reduction potentials of $[Re_2Cl_6(PPh_2Bu^n)_2]$ and $[Ph_4As][Re_2Cl_7PPh_2Bu^n]$, 185
S_2 bridged Ru complex with S dominated coordination spheres and highly unusual electronic properties; $[\mu\text{-}S_2\{Ru(PPh_3)('S_4')\}_2]$ and $[\mu\text{-}S_2\{Ru(PPh_3)('^{bu}S_4')\}_2]$ ('S_4'$^{2-}$ = 1,2-bis-(2-mercaptophenylthio)ethane (2–); '$^{bu}S_4$'$^{2-}$ = 1,2-bis(3,5-di(tertiarybutyl)-2-mercapto-phenylthio)ethane (2–)), 171
Binucleating compounds
redox activity in binucleating Schiff base ligands derived from 1,4-dihydrazinophthalazine, 123

Cadmium complexes
spectroscopic characterization of anionic tris-(*N,N*-dialkyldithiocarbamate) complexes of Zn(II) and Cd(II), 149
Carbonyl complexes
hydride reduction of $[(\eta^5\text{-indenyl})Fe(CO)_3]BF_4$; evidence for $(\eta^5\text{-indenyl})(CO)_2FeCHO$ and $(\eta^5\text{-indenyl})(CO)_2FeH$, 5
steric and electronic influences on rate of addition of anilines to tricarbonyl (cyclohexadienyl) Fe(II) cation, 143
Catalysis
new chiral ferrocenylamine sulfide and selenide ligands; preparation, characterization and their Pd and Pt complexes as catalysts for selective hydrogenation, 205
Chelate complexes
adducts of bis(*O,O*-alkylene dithiophosphates) of Ni(II) with 2,9-dimethyl-1,10-phenanthroline; X-ray crystal and molecular structure of (2,9-dimethyl-1,10-phenanthroline)bis(4,4,5,5-tetramethyl-1,3,2-dioxaphospholane-2-thione-2-thiolato)Ni(II), 11
molecular structure of *trans*-methyliodo-*N*-benzoyl-*N*-phenylhydroxyaminobis(triphenyl-phosphite)Rh(III), 69
structural investigation of Cu(II) chelate of *N*-phosphonomethylglycine; X-ray crystal structure of $Cu(II)[O_2CCH_2NHCH_2PO_3] \cdot Na$-$(H_2O)_{3.5}$, 59
Cluster complexes
novel W–Cu–S cluster with dialkyldithiocarbamate; preparation and structure of $(Et_4N)_2$-$[W_2Cu_5S_8(S_2CNMe_2)_3]$, 119
Copper complexes
interaction of Cu(II) with Phe–Phe–Ser–Asp–Lys and other peptides containing Phe–Phe sub-unit, 235
novel W–Cu–S cluster with dialkyldithiocarbamate; preparation and structure of $(Et_4N)_2$-$[W_2Cu_5S_8(S_2CNMe_2)_3]$, 119
redox behaviour of Cu(II) tetrathia macrocyclic complexes, 65
structural investigation of Cu(II) chelate of *N*-phosphonomethylglycine; X-ray crystal struc-

© Elsevier Sequoia/Printed in Switzerland

ture of Cu(II)[$O_2CCH_2NHCH_2PO_3$]·Na-(H_2O)$_{3.5}$, 59
synthesis, characterization and structural studies of Cu complexes of 1,2-dithiolene ligand, 5,6-dihydro-1,4-dithiin-2,3-dithiolate, 191
Creatinine complexes
structure of Ni(II)–creatinine complex species formed in non-aqueous media, 201
Crystal structure(s)
of $Ba(NO_3)_2 \cdot 2H_2O$, 7
of complexes of novel structurally reinforced tetraaza-macrocyclic ligands of high ligand field strength, 73
of Cu complexes of 5,6-dihydro-1,4-dithiin-2,3-dithiolate, 191
of Cu(II)[$O_2CCH_2NHCH_2PO_3$]·Na(H_2O)$_{3.5}$, 59
of (2,9-dimethyl-1,10-phenanthroline)bis(4,4,5,5-tetramethyl-1,3,2-dioxaphospholane-2-thione-2-thiolato)Ni(II), 11
of K tris(oxalato)ruthenate(III), 85
of $[Mo_2Fe_2(\mu_3\text{-}S)_4(S_2CNEt_2)_5]CH_3CN$, 55
of Na[V(NO)(N($CH_2CH_2O)_3$)] and its derivatives, 49
of $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(C_4O_4)_2] \cdot 2CH_3OH$ and $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(C_4O_4)_2(C_4O_4H)_2] \cdot CH_3OH$, 115
of $[Ph_4As][Re_2Cl_7L]$ (L = PBu^n_3, PPh_2Bu^n), 185
of *cis*-[$Pt(NH_3)_2$(gly)](NO_3), *cis*-[$Pt(NH_3)_2$(ala)](NO_3) and *cis*-[$Pt(NH_3)_2$(val)](NO_3), 221
of 1,2,3 superconductors with alkaline-earth ions, 1
of Tc(V) and Re(V) oxo-complexes with *N,N'*-2-hydroxypropane-1,3-bis(salicylideneimine), 127
of $[Zn \cdot 15\text{-crown-}5 \cdot 2L]^{2+}[Zn_2Cl_6]^{2-}$ (L = CH_3CN, THF), $[ZnCl \cdot 15\text{-crown-}5 \cdot L']_2^+[Zn_2Cl_6]^{2-}$ (L' = H_2O, CH_3COCH_3), $ZnCl_2 \cdot$ 18-crown-6·H_2O and $ZnCl_2 \cdot 2CH_3CN$, 211
of $ZnFe(CN)_5NO \cdot 3H_2O$, 99

Dithiocarbamate complexes
spectroscopic characterization of anionic tris(*N,N*-dialkyldithiocarbamate) complexes of Zn(II) and Cd(II), 149

Electrochemistry
of Cp*Ru halide and donor ligand complexes, 23
crystal structures of dirhenium(III) complexes $[Ph_4As][Re_2Cl_7L]$ (L = PBu^n_3, PPh_2Bu^n), and reduction potentials of $[Re_2Cl_6(PPh_2Bu^n)_2]$ and $[Ph_4As][Re_2Cl_7PPh_2Bu^n]$, 185
redox activity in binucleating Schiff base ligands derived from 1,4-dihydrazinophthalazine, 123
redox behaviour of Cu(II) tetrathia macrocyclic complexes, 65
spectrophotometric and voltammetric studies on H bonding interactions of bis(2,2'-bipyridine)-(2-(2'-pyridyl)-benzimidazole)Ru(II) cation and its derivatives with aromatic N heterocycles, 137
synthesis, characterization and electrochemical studies on Tc(V) and Re(V) oxo-complexes with *N,N'*-2-hydroxypropane-1,3-bis(salicylideneimine), 127

Ferrocenyl complexes
new chiral ferrocenylamine sulfide and selenide ligands; preparation, characterization and their Pd and Pt complexes as catalysts for selective hydrogenation, 205
Formyl complexes
hydride reduction of $[(\eta^5\text{-indenyl})Fe(CO)_3]BF_4$; evidence for $(\eta^5\text{-indenyl})(CO)_2FeCHO$ and $(\eta^5\text{-indenyl})(CO)_2FeH$, 5

Gallium complexes
spectroscopic characterization of I doped fluoro-gallium(III) porphyrins; determination of nature of counterion by Raman and ^{129}I Mössbauer spectroscopies, 39
Gallium complexes
synthesis and characterization of bis(undeca-tungstogallate) lanthanates of K, 179

Heterocycle complexes
spectrophotometric and voltammetric studies on H bonding interactions of bis(2,2'-bipyridine)-(2-(2'-pyridyl)-benzimidazole)Ru(II) cation and its derivatives with aromatic N heterocycles, 137
Hydrate complexes
$Ba(NO_3)_2 \cdot 2H_2O$; structure stabilised by anionic impurities, 7
Hydride complexes
hydride reduction of $[(\eta^5\text{-indenyl})Fe(CO)_3]BF_4$; evidence for $(\eta^5\text{-indenyl})(CO)_2FeCHO$ and $(\eta^5\text{-indenyl})(CO)_2FeH$, 5
Hydroferration
new chiral ferrocenylamine sulfide and selenide ligands; preparation, characterization and their Pd and Pt complexes as catalysts for selective hydrogenation, 205

Iron clusters
synthesis and structure of novel Mo–Fe–S cluster with Mo_2Fe_2 core and all-disulfide chelate ligands, $[Mo_2Fe_2(\mu_3\text{-}S)_4(S_2CNEt_2)_5]CH_3CN$, 55
Iron complexes
hydride reduction of $[(\eta^5\text{-indenyl})Fe(CO)_3]BF_4$; evidence for $(\eta^5\text{-indenyl})(CO)_2FeCHO$ and $(\eta^5\text{-indenyl})(CO)_2FeH$, 5
Mössbauer spectroscopic evidence for molecular complex formation between histidine and μ-oxo-bis(protoporphyrinato IX)Fe(III), 231

Mössbauer spectroscopic studies on short 'self-fenced' porphyrinato Fe(III) complexes; evidence for absence of μ-oxo-bridged formation, 105
steric and electronic influences on rate of addition of anilines to tricarbonyl (cyclohexadienyl) Fe(II) cation, 143
synthesis, spectroscopic studies and crystal structure analysis of Zn nitrosylpentacyanoferrate trihydrate, $ZnFe(CN)_5NO \cdot 3H_2O$, 99

Kinetics and mechanism
complexes with asymmetric tetraamine ligands; base hydrolysis of Rh(III) complexes, 33
steric and electronic influences on rate of addition of aniline to tricarbonyl (cyclohexadienyl) Fe(II) cation, 143

Lanthanide complexes
synthesis and characterization of bis(undecatungstogallate) lanthanates of K, 179

Macrocyclic ligand complexes
complexation of metal salts with macrocyclic polyethers in aprotic solvents; crystal structures of ionic $[Zn \cdot 15\text{-crown-}5 \cdot 2L]^{2+}[Zn_2Cl_6]^{2-}$ ($L = CH_3CN$, THF), $[ZnCl \cdot 15\text{-crown-}5 \cdot L']_2^{+}$-$[Zn_2Cl_6]^{2-}$ ($L' = H_2O$, CH_3COCH_3) and molecular $ZnCl_2 \cdot 18\text{-crown-}6 \cdot H_2O$ and $ZnCl_2 \cdot 2CH_3CN$ complexes, 211
redox behaviour of Cu(II) tetrathia macrocyclic complexes, 65
synthesis of complexes of novel structurally reinforced tetraazamacrocyclic ligands of high ligand field strength; structural and molecular mechanics study, 73
Metal complexes
complexation of metal salts with macrocyclic polyethers in aprotic solvents; crystal structures of ionic $[Zn \cdot 15\text{-crown-}5 \cdot 2L]^{2+}$-$[Zn_2Cl_6]^{2-}$ ($L = CH_3CN$, THF), $[ZnCl \cdot 15\text{-crown-}5 \cdot L']_2^{+}[Zn_2Cl_6]^{2-}$ ($L' = H_2O$, CH_3COCH_3) and molecular $ZnCl_2 \cdot 18\text{-crown-}6 \cdot H_2O$ and $ZnCl_2 \cdot 2CH_3CN$ complexes, 211
preparation of metal sulfides and organo-metal sulfides from metal alkyls and hydrogen sulfide, 165
synthesis and structure of 1,2,3 superconductors with alkaline-earth ions, 1
Metal compounds
use of scanning electron microscopy in characterization of coordination compounds, 155
Molecular structure(s)
of *trans*-methyliodo-*N*-benzoyl-*N*-phenylhydroxyaminobis(triphenylphosphite)Rh(III), 69
Molybdenum clusters
synthesis and structure of novel Mo—Fe—S cluster with Mo_2Fe_2 core and all-disulfide chelate ligands, $[Mo_2Fe_2(\mu_3\text{-}S)_4(S_2CNEt_2)_5]CH_3CN$, 55
Mössbauer spectroscopy
Mössbauer spectroscopic studies on short 'self-fenced' porphyrinato Fe(III) complexes; evidence for absence of μ-oxo-bridged formation, 105
MO study
on steric origin of large bond angles in siloxanes and related systems, 93

Nickel complexes
adducts of bis(*O,O*-alkylene dithiophosphates) of Ni(II) with 2,6-dimethyl-1,10-phenanthroline; X-ray crystal and molecular structure of (2,9-dimethyl-1,10-phenanthroline)bis(4,4,5,5-tetramethyl-1,3,2-dioxaphospholane-2-thione-2-thiolato)Ni(II), 11
structure of Ni(II)—creatinine complex species formed in non-aqueous media, 201
synthesis of complexes of novel structurally reinforced tetraaza-macrocyclic ligands of ligand field strength; structural and molecular mechanics study, 73
Nitrate complexes
$Ba(NO_3)_2 \cdot 2H_2O$; structure stabilised by anionic impurities, 7
Nitrogen compounds
reactions of S_4N_4 with symmetrical tertiary phosphines, R_3P (R = t-C_4H_9, c-C_6H_{11}, $C_6H_5CH_2$, *p*-$MeOC_6H_4$ and *p*-ClC_6H_4); isolation and characterization of phosphinimino substituted cyclic S nitrides, 45
Nitrosyl complexes
synthesis, spectroscopic studies and crystal structure analysis of Zn nitrosylpentacyanoferrate trihydrate, $ZnFe(CN)_5NO \cdot 3H_2O$, 99
^{51}V NMR studies of V(I) complexes; equilibria and crystal structure of $Na[V(NO)(N(CH_2CH_2O)_3)]$ and its derivatives, 49
NMR spectroscopy
^{51}V NMR studies of V(I) complexes; equilibria and crystal structure of $Na[V(NO)(N(CH_2CH_2O)_3)]$ and its derivatives, 49

Organometal complexes
preparation of metal sulfides and organo-metal sulfides from metal alkyls and hydrogen sulfide, 165
Oxalato complexes
K tris(oxalato)ruthenate(III), 85
Oxide complexes
synthesis and structure of 1,2,3 superconductors with alkaline-earth ions, 1
Oxomolybdate complexes
coordination chemistry of polyoxomolybdates with squarate; substitution of monodentate and bidentate molybdate subunits by

$(C_4O_4)^{2-}$ groups in preparation of $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(C_4O_4)_2]\cdot 2CH_3OH$ from $[(n\text{-}C_4H_9)_4N_4]_2[Mo_2OMe)_2(NNPh)_4(MoO_4)_2]$ and $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(C_4O_4)_2(C_4O_4H)_2]\cdot CH_3OH$ from $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(MoO_4)_2(HMoO_4)_2]$, 115

Palladium complexes
new chiral ferrocenylamine sulfide and selenide ligands; preparation, characterization and their Pd and Pt complexes as catalysts for selective hydrogenation, 205

Pentamethylcyclopentadienyl complexes
electrochemistry of Cp*Ru halide and donor ligand complexes, 23

Peptide complexes
interaction of Cu(II) with Phe–Phe–Ser–Asp–Lys and other peptides containing Phe–Phe sub-unit, 235

Phosphine compounds
reactions of S_4N_4 with symmetrical tertiary phosphines, R_3P (R = t-C_4H_9, c-C_6H_{11}, $C_6H_5CH_2$, *p*-$MeOC_6H_4$ and *p*-ClC_6H_4); isolation and characterization of phosphoinimino substituted cyclic S nitrides, 45

Platinum complexes
interaction of *cis*-$Pt(NH_3)_2Cl_2$ with amino acids; crystal structures of *cis*-$[Pt(NH_3)_2(gly)](NO_3)$, *cis*-$[Pt(NH_3)_2(ala)](NO_3)$ and *cis*-$[Pt(NH_3)_2(val)](NO_3)$, 221
new chiral ferrocenyl sulfide and selenide ligands; preparation, characterization and their Pd and Pt complexes as catalysts for selective hydrogenation, 205

Polyanion complexes
synthesis and characterization of bis(undecatungstogallate) lanthanates of K, 179

Polydentate ligand complexes
complexes with asymmetric tetraamine ligands; base hydrolysis of Rh(III) complexes, 33
coordination chemistry of polyoxomolybdates with squarate; substitution of monodentate and bidentate molybdate subunits by $(C_4O_4)^{2-}$ groups in preparation of $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(C_4O_4)_2]\cdot 2CH_3OH$ from $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(MoO_4)_2]$ and $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(C_4O_4)_2(C_4O_4H)_2]\cdot CH_3OH$ from $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(MoO_4)_2(HMoO_4)_2]$, 115

Polyether complexes
complexation of metal salts with macrocyclic polyethers in aprotic solvents; crystal structures of ionic $[Zn\cdot 15\text{-crown-}5\cdot 2L]^{2+}[Zn_2Cl_6]^{2-}$ (L = CH_3CN, THF), $[ZnCl\cdot 15\text{-crown-}5\cdot L']_2^{+}[Zn_2Cl_6]^{2-}$ (L′ = H_2O, CH_3COCH_3) and molecular $ZnCl_2\cdot 18\text{-crown-}6\cdot H_2O$ and $ZnCl_2\cdot 2CH_3CN$ complexes, 211

Polynuclear complexes
coordination chemistry of polyoxomolybdates with squarate; substitution of monodentate and bidentate molybdate subunits by $(C_4O_4)^{2-}$ groups in preparation of $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(C_4O_4)_2]\cdot 2CH_3OH$ from $[(n\text{-}C_4H_9)_4N]_2[Mo_2(OMe)_2(NNPh)_4(MoO_4)_2]$ and $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(C_4O_4)_2(C_4O_4H)_2]\cdot CH_3OH$ from $[(n\text{-}C_4H_9)_4N]_4[Mo_4O_8(OMe)_2(MoO_4)_2(HMoO_4)_2]$, 115

Porphyrin complexes
Mössbauer spectroscopic evidence for molecular complex formation between histidine and μ-oxo-bis(protoporphyrinato IX)Fe(III), 231
Mössbauer spectroscopic studies on short 'self-fenced' porphyrinato Fe(III) complexes; evidence for absence of μ-oxo-bridged formation, 105
spectroscopic characterization of I doped fluorogallium(III) porphyrins; determination of nature of counterion by Raman and ^{129}I Mössbauer spectroscopies, 39

Rhenium complexes
crystal structures of dirhenium(III) complexes $[Ph_4As][Re_2Cl_7L]$ (L = $PBu^n{}_3$, PPh_2Bu^n), and reduction potentials of $[Re_2Cl_6(PPh_2Bu^n)_2]$ and $[Ph_4As][Re_2Cl_7PPh_2Bu^n]$, 185
synthesis, characterization and electrochemical studies on Tc(V) and Re(V) oxo-complexes with *N,N′*-2-hydroxypropane-1,3-bis(salicylideneimine), 127

Rhodium complexes
complexes with asymmetric tetraamine ligands; base hydrolysis of Rh(III) complexes, 33
molecular structure of *trans*-methyliodo-*N*-benzoyl-*N*-phenylhydroxyaminobis(triphenylphosphite)Rh(III), 69

Ruthenium complexes
electrochemistry of Cp*Ru halide and donor ligand complexes, 23
K tris(oxalato)ruthenate(III), 85
S_2 bridged Ru complexes with S dominated coordination spheres and highly unusual electronic properties; $[\mu\text{-}S_2\{Ru(PPh_3)('S_4')\}_2]$ and $[\mu\text{-}S_2\{Ru(PPh_3)('^{bu}S_4')\}_2]$ ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane (2–); '$^{bu}S_4$'$^{2-}$ = 1,2-bis(3,5-di(tertiarybutyl)-2-mercaptophenylthio)ethane (2–)), 171
spectrophotometric and voltammetric studies on H bonding interactions of bis(2,2′-bipyridine)-(2-(2′-pyridyl)-benzimidazole)Ru(II) cation and its derivatives with aromatic N heterocycles, 137

Scanning electron microscopy
use of scanning electron microscopy in characterization of coordination compounds, 155

Schiff base complexes
synthesis, characterization and electrochemical studies on Tc(V) and Re(V) oxo-complexes with *N,N'*-2-hydroxypropane-1,3-bis(salicylideneimine), 127
Schiff base compounds
redox activity in binucleating Schiff base ligands derived from 1,4-dihydrazinophthalazine, 123
Silicon complexes
on steric origin of large bond angles in siloxanes and related systems, 93
Siloxane complexes
on steric origin of large bond angles in siloxanes and related systems, 93
Sulfide complexes
preparation of metal sulfides and organo-metal sulfides from metal alkyls and hydrogen sulfide, 165
Sulfur clusters
synthesis and structure of novel Mo–Fe–S cluster with Mo_2Fe_2 core and all-disulfide chelate ligands, $[Mo_2Fe_2(\mu_3\text{-}S)_4(S_2CNEt_2)_5]CH_3CN$, 55
Sulfur complexes
novel W–Cu–S cluster with dialkyldithiocarbamate; preparation and structure of $(Et_4N)_2$-$[W_2Cu_5S_8(S_2CNMe_2)_3]$, 119
S_2 bridged Ru complexes with S dominated coordination spheres and highly unusual electronic properties; $[\mu\text{-}S_2\{Ru(PPh_3)('S_4')\}_2]$ and $[\mu\text{-}S_2\{Ru(PPh_3)('^{bu}S_4')\}_2]$ ($'S_4'^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane (2–); $'^{bu}S_4'^{2-}$ = 1,2-bis(3,5-di(tertiarybutyl)-2-mercaptophenylthio)ethane (2–)), 171
Sulfur compounds
reactions of S_4N_4 with symmetrical tertiary phosphines, R_3P (R = t-C_4H_9, c-C_6H_{11}, $C_6H_5CH_2$, *p*-$MeOC_6H_4$ and *p*-ClC_6H_4); isolation and characterization of phosphoinimino substituted cyclic S nitrides, 45
Superconductor complexes
synthesis and structure of 1,2,3 superconductors with alkaline-earth ions, 1

Technetium complexes
synthesis, characterization and electrochemical studies on Tc(V) and Re(V) oxo-complexes with *N,N'*-2-hydroxypropane-1,3-bis-(salicylideneimine), 127
Tin complexes
dialkylamidoderivatives of Sn(II) and Sn(IV) in phosphorus chemistry, 17
Tungsten complexes
novel W–Cu–S cluster with dialkyldithiocarbamate; preparation and structure of $(Et_4N)_2$-$[W_2Cu_5S_8(S_2CNMe_2)_3]$, 119
synthesis and characterization of bis(undecatungstogallate) lanthanates of K, 179

Vanadium complexes
^{51}V NMR studies of V(I) complexes; equilibria and crystal structure of $Na[V(NO)(N(CH_2CH_2O)_3)]$ and its derivatives, 49

Zinc complexes
spectroscopic characterization of anionic tris(*N,N*-dialkyldithiocarbamate) complexes of Zn(II) and Cd(II), 149
synthesis, spectroscopic studies and crystal structure analysis of Zn nitrosylpentacyanoferrate trihydrate, $ZnFe(CN)_5NO\cdot 3H_2O$, 99